

**State Level Environment Impact Assessment Authority,
Jharkhand.**

C – 170, Road No. 4, Ashok Nagar. Ranchi. Jharkhand. 834 002.
Tel #: 0651–2243488; Fax #: 0651–2243487.
E-mail: info@jseiaa.com; website: www.jseiaa.org

Letter No. 102 .

Ranchi, Date: 06/08/2013

To: **M/s Nitesh Sarda Stone Crusher & Mines.**
101, Kishan Apartment, P.P. Compound,
Income Tax Lane, Ranchi, Jharkhand-834001.

Sub.: Environmental Clearance for the proposed Stone Mine of M/s Nitesh Sarda Stone Crusher and Mines, Mouza-Giyarappa, Vill -Giyarappa, Tehsil – Khunti , Dist – Khunti, Jharkhand (Area- 1.50 Acre or 0.607 Ha). (File No. EC/SEIAA/2013-14/91/2013)

The Project Proponent applied for prior Environmental Clearance for proposed Sand Stone Mine in Plot No. - 272, Khata No.-116, Village-Giyarappa, Tehsil-Khunti, Dist.- Khunti, Jharkhand. This proposal along with enclosures was forwarded to SEAC, Jharkhand vide SEIAA, Jharkhand letter no.-78 dated- 18/06/2013. Subsequent to its 17-06-2013 and 18-06-2013 meeting, the proposal was finally considered as per the EIA Notification – 2006, by the State Level Expert Appraisal Committee (SEAC), Jharkhand in its 7th meeting held on 16 to 18 July-2013 & recommended for prior Environmental Clearance to State Level Environment Impact Assessment Authority (SEIAA), Jharkhand. The proposal was then considered by SEIAA in its 7th meeting held on 01-08-2013. It has been decided to accord Environmental Clearance (EC) to the said project under the provisions of Environment Impact Assessment Notification, 2006 subject to implementation of the following terms and conditions:-

A. Specific Conditions

1. The PP has proposed to mine stone as follows:
 - a. First year : 6675 t
 - b. Second year : 6045 t
 - c. Third year : 5263 t
 - d. Fourth year : 4725 t
 - e. Fifth year : 5193 t

The Mining operations will be carried out for 250 days per annum

Proposed production = 22TPD.
Production during lifetime (5 yrs.) of the mine = 27901 tonnes.
= 0.0279 Million tonne.

2. The Environmental Clearance is subject to grant of mining lease by the Department of Mines, Government of Jharkhand and all other Statutory Conditions as imposed by various agencies / District Authorities are complied with.
3. No mining shall be undertaken in the forest area without obtaining requisite prior forestry clearance. Minimum distance shall be maintained from Reserved / Protected Forest as stipulated in SEIAA Guidelines.

4. Environmental Clearance is subject to final order of the Hon'ble Supreme Court of India / MOEF Guidelines applicable to Minor Minerals.
5. Environmental Clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent Authority, as may be applicable to this project.
6. The mining operations shall be restricted to above ground water table and it should not intersect the groundwater table. In case of working below the ground water table, prior approval of the Ground Water Directorate, Government of Jharkhand shall be obtained.
7. Benches height and slope shall be maintained as per approved Mining Plan. The Mining Plan has to be got approved by concerned Authorities as per SEIAA guidelines.
8. A final mine closure Plan along with corpus fund shall be submitted to concerned Authority / MOEF well in advance of closure of Mine.
9. PP shall maintain minimum distance from Reserved / Protected Forests as stipulated in applicable guidelines.
10. The project proponent shall ensure that no natural watercourse and/or water resources shall be obstructed due to any mining operations. Adequate measures shall be taken for conservation and protection of the first order and the second order streams, if any emanating/passing through the mine lease area during the course of mining operation.
11. The top soil, if any shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.
12. There shall be no external dump(s). Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Jharkhand State Pollution Control Board, Ranchi and its nearest Regional Office on six monthly basis.
13. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, sub-grade and mineral dump(s) to prevent run off of water and flow of sediments directly into the agricultural fields, and other water bodies. The water so collected should be utilized for watering the mine area, haul roads, green belt development etc. The drains shall be regularly desilted particularly after the monsoon and maintained properly.
14. Dimension of the retaining wall at the toe of the OB benches within the mine to check run-off and siltation shall be based on the rain fall data.
15. Greenbelt shall be developed all along the mine lease area and haul roads. Fast growing and local species will be planted. Work has to be taken up before this year monsoon.
16. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads which should be made pucca with suitable water drainage arrangements. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.



17. The project proponent should implement suitable conservation measures to augment ground water resources in the area in consultation with the Ground Water Directorate, Government of Jharkhand.
18. The project proponent shall if required, obtain necessary prior permission/NOC of the competent Authorities for drawl of requisite quantity of water required for the project.
19. Suitable rainwater harvesting measures on long term basis shall be planned and implemented in consultation with the Ground Water Directorate, Government of Jharkhand.
20. Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded. No transportation of ore outside the mine lease area shall be carried out after the sunset.
21. No blasting shall be carried out after the sunset. Blasting operation shall be carried out only during the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.
22. Drills shall either be operated with the dust extractors or equipped with water injection system.
23. Mineral handling area shall be provided with adequate number of high efficiency dust extraction system. Loading and unloading areas including all the transfer points should also have efficient dust control arrangements. These should be properly maintained and operated.
24. Effective safeguard measures should be taken to control fugitive emissions so as to ensure that RSPM (PM10 and PM 2.5) levels are within prescribed limits.
25. Pre-placement medical examination and periodical medical examination of the workers engaged in the project shall be carried out and records maintained.
26. The project proponent shall take all precautionary measures during mining operation for conservation and protection of endangered fauna.
27. Provision shall be made for the housing of construction labour within the site with all necessary infrastructure and facilities such as fuel for cooking, mobile toilets, septic tanks, safe drinking water, medical health care, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
28. Proper safety measures as per statutory requirement are to be implemented around the mined out Pit prior to closure of site.
29. A Final Mine Closure Plan duly approved by Competent Authority shall be submitted to the Jharkhand State Pollution Control Board, Ranchi and to concerned DMO in advance of final mine closure for approval.
30. The road leading to quarry should be properly maintained with regular watering to arrest fugitive emission.
31. That the proponent shall obtain approval of mining plan within 3 months from the committee constituted by the Deptt. Of Mines & Geology, Govt. of Jharkhand from the date of grant of Environmental Clearance and the proponent shall be bound to comply the additional conditions framed by the Deptt. of Mines & Geology.

32. The project proponent shall obtain Consent to Establish and Consent to Operate from the Jharkhand State Pollution Control Board, Ranchi and effectively implement all the conditions stipulated therein.

B. General conditions

1. No change in mining technology and scope of working should be made without prior approval of the Statutory Authorities / Department of Mines, Government of Jharkhand / Jharkhand State Pollution Control Board, Ranchi.
2. No change in the calendar plan including excavation, quantum of mineral and waste should be made.
3. The Project proponent shall make all internal roads pucca and shall maintain a good housekeeping by regular cleaning and wetting of the haul roads and the premises.
4. The Project proponent shall maintain register for production and dispatch and submit return to the Board.
5. The Project proponent shall do tree plantation in at least 33% of the space, preferably along the periphery and in vacant space.
6. The Project proponent shall not cut trees / carry out tree felling in leased out area without the permission of competent Authority.
7. Fugitive dust emissions from all the sources should be controlled regularly. Water spraying arrangement on haul roads, loading and unloading and at transfer points should be provided and properly maintained. The Project proponent shall install fixed type water sprinklers to cover all dusty places in the premises to impart water spraying intermittently and during loading, unloading of raw materials/products and wastes.
8. Measures should be taken for control of noise levels below prescribed norms in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.
9. Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards Oil and grease trap should be installed before discharge of workshop effluents.
10. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
11. Dispensary facilities for First Aid shall be provided at site.
12. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
13. The funds earmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Jharkhand State Pollution Control Board, Ranchi.


14. The Regional Office of Jharkhand State Pollution Control Board shall monitor compliance of the stipulated conditions. The project Authorities should extend full cooperation to the officer (s) of the Regional Office by furnishing the requisite data / information / monitoring reports.
15. The project proponent shall submit six monthly reports on the status of compliance of the stipulated Environmental Clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Jharkhand State Pollution Control Board, Ranchi and to its Regional. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically.
16. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad/ Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the project proponent.
17. All statutory clearances shall be obtained before start of mining operations.

2. The Authority (SEIAA) reserves the right to add any stringent condition or to revoke the clearance if conditions stipulated above are not implemented to the satisfaction of the Authority or for that matter, for any other administrative reason.

3. Validity of Environment Clearance: The Environmental Clearance accorded shall be valid for a period of 5 years from the date of issuance of EC and co-terminus with valid mining lease.

4. In case of any deviation or alteration in the project proposed from those submitted to this Authority for clearance, a fresh reference should be made to the Authority to assess the adequacy of the condition(s) imposed and to incorporate additional environmental protection measures required, if any.

5. The above stipulations would be enforced among others under the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Tran boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/ High Court of Jharkhand and any other Court of Law relating to the subject matter.

sd/ 
Member Secretary
6.8 State Level Environment Impact
Assessment Authority, Jharkhand.


Memo No. 102.

Dated: 06/08/2013

Copy to:

1. Principal Secretary, Department of Forest & Environment, Jharkhand.
2. Deputy Commissioner, District- Ranchi, Jharkhand.
3. Divisional Forest Officer, Ranchi Division, Ranchi, Jharkhand.
4. Director IA Division, Monitoring Cell, MOEF, GoI, Paryavaran Bhawan, CGO Complex, Lodhi Raod, New Delhi - 110003

5. District Mining Officer, District- Ranchi, Jharkhand.
- ~~6.~~ Member Secretary, Jharkhand State Pollution Control Board, Ranchi.
7. Guard file.


~~Member Secretary~~ 6.8
State Level Environment Impact
Assessment Authority, Jharkhand