

State Level Environment Impact Assessment Authority, Jharkhand.

C-170, Road No. 4, Ashok Nagar. Ranchi. Jharkhand. 834 002.

Tel #: 0651-2243488; Fax #: 0651-2243487.

E-mail: info@jseiaa.com; website: www.jseiaa.org

Letter No.232

Ranchi, Date: 9/0/2014

To: M/s Basant Kumar Keshri,

Station Road, Garhwa, P.O-Garhwa, Dist-Garhwa, Jharkhand.-822114.

Sub.: Environmental Clearance for the proposed Jatpura Stone Deposit of M/s Basant Kumar Keshri, Khata No.-01, Plot No.-02 (P), Vill.- Jatpura, Taluka-Ramna, District-Garhwa, Jharkhand.(Area-0.75 Acre/ 0.303 Ha.) (File No. EC/SEIAA/ 2013-14 / 153 / 2013).

36000 t

Sir,

The details of mine capacity as provided in Mining Plan are

Mineable Proved Reserve :

Mineable Probable Reserve : 18000 t

Inferred Reserve : 43000 t

Total Reserve : 97000 t

Year-wise Production as proposed under Mining Plan Report for five years is as follows

1st Year : 1416 t

2nd Year : 8497 t

3rd Year : 8497 t

4th Year : 8497 t

5th Year : 8497 t

The proposal was appraised by SEAC and recommended for grant of Environmental Clearance vide SEAC meeting held on 22 to 25 October 2013.

The proposal along with recommendation made by SEAC was considered in the Authority (SEIAA) in its meeting held on 16.12.2013.

The Authority decided to grant EC to the proposal with the following conditions:-

A. Specific Conditions

1. The environmental clearance is subject to renewal of mining lease by the Department of Mines, Government of Jharkhand and all other Statutory Conditions as imposed by various agencies / District Authorities are complied with.

- 2. No mining shall be undertaken in the forest area including such area which is recorded as jungle jhar in the revenue records without obtaining requisite prior forestry clearance. Minimum distance shall be maintained from Reserved / Protected Forest as stipulated in SEIAA Guidelines and no damage should be caused to the nearby forest area.
- 3. Environmental clearance is subject to final order of the Hon'ble Supreme Court of India / MOEF Guidelines applicable to Minor Minerals.
- 4. Environmental clearance is subject to obtaining clearance under the Wildlife (Protection) Act, 1972 from the competent authority, as may be applicable to this project.
- 5. The mining operations shall be restricted to above ground water table and it should not intersect the groundwater table. In case of working below the ground water table, prior approval of the Ground Water Directorate, Government of Jharkhand / Central Ground Water Board shall be obtained. Benches height and slope shall be maintained as per approved Mining Plan. The Mining Plan should highlight the precautions taken to avoid inundation from River. The Mining Plan has to be got approved by concerned authorities as per SEIAA guidelines.
- 6. PP shall maintain minimum distance from Reserved / Protected Forests as stipulated in applicable guidelines.
- 7. The project proponent shall ensure that no natural watercourse and / or water resources shall be obstructed due to any mining operations. Adequate measures shall be taken for conservation and protection of the first order and the second order streams, if any emanating/passing through the mine lease area during the course of mining operation.
- 8. The top soil, if any shall temporarily be stored at earmarked site(s) only and it should not be kept unutilized for long. The topsoil shall be used for land reclamation and plantation.
- 9. There shall be no external dump(s). Monitoring and management of rehabilitated areas shall continue until the vegetation becomes self-sustaining. Compliance status shall be submitted to the Jharkhand State Pollution Control Board, Ranchi and its nearest Regional Office on six monthly basis.
- 10. Catch drains and siltation ponds of appropriate size shall be constructed around the mine working, sub-grade and mineral dump(s) to prevent run off of water and flow of sediments directly into the agricultural fields, and other water bodies including rivers. The water so collected should be utilized for watering the mine area, haul roads, green belt development etc. The drains shall be regularly desilted particularly after the monsoon and maintained properly.
- 11. Dimension of the retaining wall at the toe of the OB benches within the mine to check run-off and siltation shall be based on the rain fall data.
- 12. Greenbelt shall be developed all along the mine lease area and haul roads. The Project proponent shall do tree plantation in at least 33% of the space, preferably along the periphery and in vacant space. Fast growing and local species will be planted.
- 13. Effective safeguard measures such as regular water sprinkling shall be carried out in critical areas prone to air pollution and having high levels of particulate matter such as loading and unloading point and transfer points. Extensive water sprinkling shall be carried out on haul roads which should be made pucca with suitable water drainage arrangements. It should be ensured that the Ambient Air Quality parameters conform to the norms prescribed by the Central Pollution Control Board in this regard.
- 14. The project proponent should implement suitable conservation measures to augment ground water resources in the area in consultation with the Ground Water Directorate, Government of Jharkhand / Central Ground Water Board.

- The project proponent shall if required, obtain necessary prior permission/NOC of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of requisite quartity of the competent authorities for drawl of the competent authorities are also an authorities authorities authorities authorities authorities are also an authorities and authorities are also an authorities are also an authorities and authorities are also an authorities are also an authorities are also an authorities and authorities are also an a 15. authorities for drawl of requisite quantity of water required for the project.
- Suitable rainwater harvesting measures shall be planned and implemented in consultation with the 16. Ground Water Directorate, Government of Jharkhand / Central Ground Water Board.
- Vehicular emissions shall be kept under control and regularly monitored. Measures shall be taken 17. for maintenance of vehicles used in mining operations and in transportation of mineral. The mineral transportation shall be carried out through the covered trucks only and the vehicles carrying the mineral shall not be overloaded. No transportation of ore outside the mine lease area shall be carried out after the sunset.
- No blasting shall be carried out after the sunset. Blasting operation shall be carried out only during 18. the daytime. Controlled blasting shall be practiced. The mitigative measures for control of ground vibrations and to arrest fly rocks and boulders should be implemented.
- Drills shall either be operated with the dust extractors or equipped with water injection system. 19.
- Effective safeguard measures should be taken to control fugitive emissions so as to ensure that 20. RSPM (PM10 and PM 2.5) levels are within prescribed limits.
- Pre-placement medical examination and periodical medical examination of the workers engaged in 21. the project shall be carried out and records maintained.
- The project proponent shall take all precautionary measures during mining operation for 22. conservation and protection of endangered fauna.
- Provision shall be made for the housing of construction labour within the site with all necessary 23. infrastructure and facilities such as fuel for cooking, mobile toilets, septic tanks, safe drinking water, medical health care, etc. The housing may be in the form of temporary structures to be removed after the completion of the project.
- Proper safety measures as per statutory requirement are to be implemented around the mined out 24. Pit prior to closure of site.
- A final mine closure Plan along with corpus fund duly approved by Competent Authority shall be 25. submitted to the Jharkhand State Pollution Control Board, Ranchi and to concerned DMO in advance of final mine closure for approval.
- That the proponent shall obtain approval of mining plan within 3 months from the committee 26. constituted by the Deptt. of Mines & Geology, Govt. of Jharkhand from the date of grant of environmental clearance and the proponent shall be bound to comply the additional conditions framed by the Deptt. of Mines & Geology.
- The project proponent shall obtain Consent to establish and Consent to Operate from the 27. Jharkhand State Pollution Control Board, Ranchi and effectively implement all the conditions stipulated therein

B. General conditions

- No change in mining technology and scope of working should be made without prior approval of 1. the Statutory authorities / Department of Mines, Government of Jharkhand / Jharkhand State Pollution Control Board, Ranchi during the EC period.
- No change in the calendar plan including excavation, quantum of mineral and waste should be 2. made.



137

- 3. The Project proponent shall make all internal roads pucca and shall maintain a good housekeepips by regular cleaning and wetting of the haul roads and the premises.
- 4. The Project proponent shall maintain register for production and dispatch and submit return to the Board.
- 5. The Project proponent shall not cut trees / carry out tree felling in leased out area without the permission of competent authority.
- 6. Measures should be taken for control of noise levels below prescribed norms in the work environment. Workers engaged in operations of HEMM, etc. should be provided with ear plugs / muffs.
- 7. Industrial waste water (workshop and waste water from the mine) should be properly collected, treated so as to conform to the standards Oil and grease trap should be installed before discharge of workshop effluents.
- 8. Personnel working in dusty areas should wear protective respiratory devices and they should also be provided with adequate training and information on safety and health aspects. Occupational health surveillance program of the workers should be undertaken periodically to observe any contractions due to exposure to dust and take corrective measures, if needed.
- 9. Dispensary facilities for First Aid shall be provided at site.
- 10. A separate environmental management cell with suitable qualified personnel should be set-up under the control of a Senior Executive, who will report directly to the Head of the Organization.
- 11. The funds carmarked for environmental protection measures should be kept in separate account and should not be diverted for other purpose. Year wise expenditure should be reported to the Jharkhand State Pollution Control Board, Ranchi.
- 12. The Jharkhand State Pollution Control Board, Ranchi directly or through its Regional Office, shall monitor compliance of the stipulated conditions. The project authorities should extend full cooperation to the officer (s) by furnishing the requisite data / information / monitoring reports.
- 13. The project proponent shall submit six monthly reports on the status of compliance of the stipulated environmental clearance conditions including results of monitored data (both in hard copies as well as by e-mail) to the Jharkhand State Pollution Control Board, Ranchi and to its concerned Regional Office.
- 14. The proponent shall upload the status of compliance of the environmental clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to Jharkhand State Pollution Control Board and its concerned Regional Office The criteria pollutant levels namely; SPM ,RSPM,SO₂ ,NOx (ambient levels) or critical sectoral parameters, indicated for the project shall be monitored and displayed at a convenient location near the project shall be monitored and displayed at a convenient location near the main gate of the company in the company in the public domain.
- 15. A copy of the clearance letter shall be sent by the project proponent to concerned Panchayat, Zila Parisad / Municipal Corporation, Urban Local Body and the Local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the website of the Company by the project proponent.
- 16. The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the Jharkhand State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along the status of compliance of EC conditions and shall also to the concerned Regional Office of JSPCB by e-mail.

All statutory clearances shall be obtained before start of mining operations.

C. Other points

- 1. The Authority reserves the right to add any new condition or modify the above conditions or to revoke the clearance if conditions stipulated above are not implemented to the satisfaction of Authority or for that matter for any other Administrative reason.
- 2. The Environmental Clearance accorded shall be valid for period of lease renewal for the mine (10 years). The PP shall not increase production rate and alter lease area during the validity of Environmental Clearance.
- 3. The ROP Dr. G S Jaiswal who has prepared the Mine Plan and Report for the Project should get himself registered with Department of Mines, Government of Jharkhand within a month so that Mine Plans are approved within three months in line with SEIAA Guidelines.
- 4. In case of any deviation or alteration in the project proposed from those submitted to SEIAA, Jharkhand for clearance, a fresh reference should be made to SEIAA to assess the adequacy of the conditions imposed and to incorporate any new conditions if required.
- 5. The above stipulations would be enforced among others under the Water (Prevention & Control of Pollution) Act, 1974, the Air (Prevention & Control of Pollution) Act, 1981, the Environment (Protection) Act, 1986, Hazardous Wastes (Management, Handling and Tran boundary Movement) Rules, 2008 and the Public Liability Insurance Act, 1991 along with their amendments and rules made there under and also any other orders passed by the Hon'ble Supreme Court of India/ High Court of Jharkhand and any other Court of Law relating to the subject matter.
- 6. Any Appeal against this Environmental Clearance shall lie with the National Green Tribunal, if preferred, within a period of 30 days as prescribed under Section 16 of the National Green Tribunal Act, 2010.

Sd/-

Member Secretary State Level Environment Impact Assessment Authority, Jharkhand.

Memo No. 232. Copy to:

Dated: 09/01/14.

1. Principal Secretary, Department of Forests & Environment, Jharkhand. 2. Deputy Commissioner, District-Garhwa, Jharkhand.

3. Divisional Forest Officer, Garhwa Division (North), Garhwa, Jharkhand.

- 4. Director IA Division, Monitoring Cell, MOEF, GoI, Paryavaran Bhawan, CGO Complex, Lodhi Road, New Delhi - 110003
- 5. District Mining Officer, District- Garhwa, Jharkhand.
- 6. Member Secretary, Jharkhand State Pollution Control Board, Ranchi.
- 7. Secretary, Jharkhand State Expert Appraisal Committee, Ranchi.
 - 8. Guard file.

Member Secretary State Level Environment Impact Assessment Authority, Jharkhand.

