

File No: EC/SEIAA/2024-25/3123/2024

Government of India

Ministry of Environment, Forest and Climate Change (Issued by the State Environment Impact Assessment Authority(SEIAA), JHARKHAND)





Dated 19/06/2024



To,

Binay kumar Singh niranjan metalic limited

(vii) Name of Project

4D ,Maruti Tower ,tiranga Chowk ,giridih, GIRIDIH, JHARKHAND, 815301

niranjan4binay@gmail.com

Subject:

Grant of Terms of Reference under the provision of the EIA Notification 2006-regarding.

Sir/Madam,

This is in reference to your application for Grant of Terms of Reference under the provision of the EIA Notification 2006-regarding in respect of project Expansion of Sponge iron plant production from 33,000TPA to 62700 TPA by enhancement of Kiln 100 TPD to 190 TPD M/s. Niranjan Metallic Limited submitted to Ministry vide proposal number SIA/JH/IND1/472779/2024 dated 15/05/2024.

2. The particulars of the proposal are as below:

(i) TOR Identification No. TO24B1002JH5655163N

(ii) File No. EC/SEIAA/2024-25/3123/2024

(iii) Clearance Type
(iv) Category

TOR

B1

(v) Project/Activity Included Schedule No. 3(a) Metallurgical Industries (ferrous and non

ferrous)

Expansion of Sponge iron plant production from 33,000TPA to 62700 TPA by enhancement of Kiln

100 EDD 100 EDD 100 A

100 TPD to 190 TPD M/s. Niranjan Metallic

Limited

(viii) Name of Company/Organization niranjan metalic limited (ix) Location of Project (District, State) GIRIDIH, JHARKHAND

(x) Issuing AuthoritySEIAA(xii) Applicability of General Conditionsno(xiii) Applicability of Specific Conditionsno

3. In view of the particulars given in the Para 1 above, the project proposal interalia including Form-1(Part A and B) were

SIA/JH/IND1/472779/2024 Page 1 of 17

- submitted to the Ministry for an appraisal by the State Environment Impact AssessmentAuthority(SEIAA) Appraisal Committee (SEIAA) in the Ministry under the provision of EIA notification 2006 and its subsequent amendments.
- 4. The above-mentioned proposal has been considered by State Environment Impact AssessmentAuthority(SEIAA) Appraisal Committee of SEIAA in the meeting held on 07/06/2024. The minutes of the meeting and all the Application and documents submitted [(viz. Form-1 Part A, Part B, Part C EIA, EMP)] are available on PARIVESH portal which can be accessed by scanning the QR Code above.
- 5. The brief about configuration of plant/equipment, products and byproducts and salient features of the project along with environment settings, as submitted by the Project proponent in Form-1 (Part A, B and C)/EIA & EMP Reports/presented during SEIAA are annexed to this EC as Annexure (1).
- 6. The SEIAA, in its meeting held on 07/06/2024, based on information & clarifications provided by the project proponent and after detailed deliberations recommended the proposal for grant of Terms of Reference under the provision of EIA Notification, 2006 and as amended thereof subject to stipulation of specific and general conditions as detailed in Annexure (2).
- 7. The SEIAA has examined the proposal in accordance with the Environment Impact Assessment (EIA) Notification, 2006 & further amendments thereto and after accepting the recommendations of the State Environment Impact AssessmentAuthority(SEIAA) Appraisal Committee hereby decided to grant Terms of Reference for instant proposal of M/s. Binay kumar Singh under the provisions of EIA Notification, 2006 and as amended thereof.
- 8. The Ministry reserves the right to stipulate additional conditions, if found necessary.
- 9. The Terms of Reference to the aforementioned project is under provisions of EIA Notification, 2006. It does not tantamount to approvals/consent/permissions etc. required to be obtained under any other Act/Rule/regulation. The Project Proponent is under obligation to obtain approvals /clearances under any other Acts/ Regulations or Statutes, as applicable, to the project.
- 10. This issues with the approval of the Competent Authority.

Copy To

N/A

Annexure 1

Standard Terms of Reference for Industrial Projects - 1

1. Preliminary Requirements

S. No	Terms of Reference
1.1	EIA/EMP report cover page shall consists of project title with location, applicable schedule of the EIA Notification, 2006, ToR letter No. with date, study period along with EIA consultant & laboratory details with QCI/NABET/NABL accreditation certificate detail.
1.2	Besides, following points shall be compiled as per QCI/NABET norms: a. Disclaimer by the EIA consultant. b. Declaration by the Functional Area Experts contributed to the EIA study and declaration by the head of the accredited consultant organization/authorized person. c. Undertaking by the project proponent owning the contents (information and data) of the EIA/EMP report. d. Undertaking by the EIA consultant regarding compliance of ToR issued by MoEF&CC. e. Consultant shall submit the Plagiarism Certificate for the EIA/EMP Report.

Additional Terms of Reference

N/A

SIA/JH/IND1/472779/2024 Page 2 of 17

Details of Products & By-products

Name of the product /By- product	Product / By- product	Existing	Proposed	Total	Unit	Mode of Transport / Transmission
Sponge Iron	Sponge Iron	33000	29700	62700	Tons per Annum (TPA)	Road
Dolochar	Dolochar	8250	7425	15675	Tons per Annum (TPA)	Road



SIA/JH/IND1/472779/2024 Page 3 of 17



State Level Environment Impact Assessment Authority, Jharkhand

Nursery Complex, Near Dhurwa Bus Stand, P.O+P.S-Dhurwa, Ranchi, Jharkhand-834 004
E-mail: msseiaa.jhk@gmail.com / chr-seiaajhr@gov.in
website: www.jseiaa.org

Letter No.-EC/SEIAA/2024-25/3123/2024/

Ranchi, Date:

To:

M/s Niranjan Metallic Limited,

Directors: 1. Shri Binay Kumar Singh

2. Shri Nishant Banka 3. Shri Uday Kumar Soni,

Nandlal School Road - 153 Chirkunda,

Nirsa-cum-Chirkunda, District: Dhanbad,

Jharkhand: 828202.

Sub:

Prescribing of ToR to "Expansion of Sponge Iron Plant Production From 30,000 TPA to 57000 TPA By Enhancement of Kiln 100 TPD to 190 TPD by M/s Niranjan Metallic Limited at Village: Gadi Srirampur, Tehsil: Giridih, Distt.: Giridih, Jharkhand" (Proposal No.: SIA/JH/IND1/472779/2024) - regarding.

Ref:

Your application no.- Nil, dated – 15.05.2024.

Sir.

It is in reference to the project "Expansion of Sponge Iron Plant Production From 30,000 TPA to 57000 TPA By Enhancement of Kiln 100 TPD to 190 TPD by M/s Niranjan Metallic Limited at Village: Gadi Srirampur, Tehsil: Giridih, Distt.: Giridih, Jharkhand" submitted by you for seeking Terms of Reference (ToR).

This is an expansion project which has been taken for appraisal on 30.05.2024.

Project Category: B-1 - The proposal was considered by the committee to determine the "Terms of Reference (ToR)" for undertaking detailed EIA study for the purpose of obtaining environmental clearance in accordance with the provisions of the EIA Notification, 2006 and amendments thereafter. For this purpose the Project Proponent has submitted the prescribed Form - I & PFR the proposed project falls under item 3 (a) Metallurgical Industries (secondary metallurgical processing) as per EIA Notification, 2006.

S. No	Parameters	Description
1	Identification of project	Project falls under Metallurgical Industries (secondary metallurgical processing) Item 3(a) of the schedule of EIA notification of Sept 14, 2006 issued by MOEF & CC.

wAn



S. No	Parameters	Description	
2	Project Proponent	M/s. Niranjan Metallic Limited	
3	Brief description of nature of the project	Expansion of Sponge iron plant production from 30,000 TPA to 57000 TPA by enhancement of Kill 100 TPD to 190 TPD	
4	Salient Features of th	e Project	
4.1	Proposed production capacity	Expansion of Sponge iron plant production from 30,000 TPA to 57,000 TPA by enhancement of K 100 TPD to 190 TPD.	
4.2	Existing Capacity	Sponge Iron~100 TPD or 30,000 TPA	
4.3	Capacity after proposed expansion	Sponge iron~ 190 TPD or 57,000 TPA	
4.4	Total Plot Area	38.23 Acre	
4.5	Location	Village-Gadi Srirampur, Mauza-Panchkurhi, Dist: Giridih – 815301, Jharkhand.	
4.6	Geo-Coordinate	Latitude- 24°7"0.060"N to 24°7"12.620"N, Longitude- 86°20"25.647"E to 86°20"54.762"E	
4.7	Water requirement	Overall water requirement for the proposed expansion project will be approx. 169 KLD out of which 79.0 KLD will be used as makeup water including domestic purpose. Total water requirement for the existing project was 82 KLD.	
4.8	Source of water	Borewell	
4.9	Wastewater	The domestic water consumption will result in generation of ~7.2 KLD of domestic wastewater. The wastewaters will be managed through septic tank & soak pits.	
4.10	Man Power	Construction phase: Around 150 persons Operation phase: Around 195 persons	
4.11	Electricity/Power requirement	Existing Power requirement was 500 KVA. Proposed requirement will be 1000 KVA. Total power requirement after expansion will be 1500 KVA or 1.5 MW. For emergency power requirement 1x600 KVA DG Set has been installed. Additionally, 1x600 KVA. DG set shall be installed under the proposed expansion.	

0e/19



Page 5 of 17

S. No	Parameters	Description
4.12	Alternative site	The proposed addition will be established in the existing plant premises only.
4.13	Land form, Land use and land ownership	Private land, owned by M/s. Niranjan Metallic Limited
4.14	Project Cost	35.69 Crs.

Land Details:

Khata no.	111	168	125	63
Plot no.	2464, 2491	2483	2465, 2463	2494

Plant obtained CTE from Jharkhand State Pollution Control Board (JSPCB) videApplication.No. N-342 dated 21-05-2005 for production capacity of Sponge Iron-100 MT/day. The unit has obtained CTO for the same production though vides Ref No. JSPCB/HO/RNC/CTO-15553178/ 2023/1232 Dated: 16/07/2023.

S.No.	Particulars	Existing	Proposed	Total Production	
	ST /	O , Well seed	7 68	(After expansion	
		Y 43*7/		final)	
		Unit processes			
1.	Sponge Iron	1x100 TPD	Installed additional	(1 <mark>X</mark> 100 TPD+1X90	
	Plant	Sponge Iron (30,000	1x 90 TPD	TPD)	
		TPA)	27,000 TPA	57 <mark>,0</mark> 00 TPA	
		\$ \ (\begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\			
2.	Fixed capital	~ 20.47 Crore	~15.22 Crore	~35.69 Crore	
	investment	Pros	S Pro		
	(Rs)		Sher		
3.	Electrical ~500 KVA power		~1000 KVA	~1500 KVA	
			SEE.		
		requirement			
4.	Manpower	~45	~150	~195	
	requirement				
5.	Makeup water	35 KLD	42 KLD	79 KLD	
	requirement				
6.	Domestic	2.0 KLD	7.0 KLD	9.0 KLD	
	water				
	requirement				
7.	Domestic	1.6 KLD	5.6 KLD	7.2 KLD	
	wastewater				
	generation				

ragin

4

SIA/JH/IND1/472779/2024 Page 6 of 17

8.	Raw Material	Pillets: 58090 TPA	Pillets: 47528 TPA	Pillets: 105618 TPA	
		Non-Coking Coal: 32858 TPA Dolomite/Limestone:	25818 TPA	Non-Coking Coal: 58676 TPA	
		1810 TPA	1543 TPA	Dolomite/Limestone: 3353 TPA	
9.	Fuel	HSD- DG sets			

Mass balance of pellets based proposed sponge iron of 190 TPD Niranjan Metallics <u>Limited, Giridih</u>

		Quatity			Quantity	Per
Sl.No	INPUT	TPD	Per annum	OUTPUT	TPD	annum
1	PELLETS	275.5	82,650.0	Sponge Iron	190.0	57000
				Wet scrapper		
2	Coal	237.5	71,250.0	sludge	5.1	1539
3	Dolomite	7.6	2,280.0	Dolochar	47.5	14250
		1 - 1	A: 201	ESP, Bag Filter		
4	2 /	0.0	0.0	Dust	15.4	4617
5				Accretion	12.8	3847.5
6		0.0	0.0	Volatile losses	249.8	74926.5
	Total	521	1,56,180		521	156180

Total Water Requirement for the Existing Plant (KL)

S. No.	Unit	Purpose	Existing (100	TPD)	Proposed (90 TPD)			
		Jiane.	Recirculating water (KLD)	Make up water	Recircu lating water (KLD)	Makeup water	Total water requirement after proposed expansion	Waste water generation
		-0		(KLD)		(KLD)		(KLD)
			e-pa		t-C		(KL)	
1.	DRI Plant	Cooling	45	35	45	35	160	0
2.	Domestic	Drinking & Sanitation	0	2	0	7.0	9	7.2
	Total		45	37	45	42	169	7.2

2 Apr

Page 7 of 17

Make-up Water (Fresh) Requirement for the Existing & Proposed Plant (KLD)

Unit	Makeup water Existing (KLD)	Makeup water for Proposed Units	Makeup water Total after expansion
DRI Plant	35	35	70
Drinking & Sanitation	2	7	9
Total	37	42	79

The capacity of the is around 5500 sqm with an average depth 4 m, water holding capacity is 22,000 Cum. Source of water ground water and rainwater harvesting. The water from RWH tank can meet approximately 60 days of industrial demand.

Raw Material details for sponge iron unit

Unit	Annual Requirement (TPA)	Mode of Transportation	Distance covered	Source as e.g. #
PELLETS	82,650.0	Railway/Truck	Approx. 250 km	Rungta Mines Ltd.Jharkhand Amalgam Jharkhand Rashmi Metallic, Kharaghpur, W.B.
Non-Coking Coal	71,250.0	Truck	Approx. 300 km	Adani Enterprises Haldia(Bengal) Madhya Pradesh
Dolomite/Limestone	2,280.0	Truck	Approx. 370 km	Bhutan, Banaras

This is an indicative source of material while materials can be sourced from open market as per availability

Details of Solid waste and Mode of disposal

Description of the Plant	Plant Capacity	By-product/Waste Product	Mode of Disposal	Authorised Persons e.g.	
Sponge Iron	190 TPDX300	Char -47.5 TPD	Char will be sold	Will be sold to Ankit Metal	

loffin

4

Plant	Days	Wet scrapper sludge5.1TPD Accretion 12.8TPD	to Power plant Will be supplied to vendors - use as construction & low-lying areas filling.	Power Limited; BISCO Metal Power Pvt. Ltd. etc. Shyam Metal
S	ESP Bag Filter units-7 Nos.	Approximately 15.4 TPD of ESP dust + from bag filter unit generated during the plant operation	Brick making plants.	ESP & Bag Filter dust sold to authorized recycler. For proposed expansion the generated dust will be sold to Mongia Bricks.
Domestic	195 Persons	10237kg/annum	The Municipal waste generated during the project will be segregated and handed over to local municipal	DSS
Sludge/Salt from cooling towers	, — е-р	192kg/annum	Used as earthing	

STATUTORY CLEARANCES:

1	LOI/Lease docs	:	Private land, owned by M/s. Niranjan Metallic Limited
2	СО	:	The CO, Giridih vide letter no. 912, dated 15.09.2022 has mentioned the plot no. of the project is not recorded as "Jungle Jhari" in R.S. Khatiyan.

Page 9 of 17

3	DFO Wild Life	•	DFO, Wildlife Hazaribagh vide letter no. 236, dated 10.02.2024 certified that the proposed project site is outside Eco Sensitive Zone of Parasnath & Topchanchi Wildlife Sanctuary.
4	DFO Forest Distance	•	DFO, Giridih East Forest Division vide letter no. 1350, dated 20.04.2024 certified that the distance of notified forest is 18 meters from project site. This being an expansion in a existing project and no addition of new land, siting criteria is not applicable.
5	Consent to Establish (CTE)	:	CTE issued by JSPCB vide Ref. no. N-342, dated 21.05.2005.
6	Consent to Operate (CTO)	·	CTO granted by JSPCB vide Ref. no. JSPCB/HO/RNC/CTO-15553178/2023/1232, dated 16.07.2023.

Baseline data has been generated from 1st March, 2024 to 31st May, 2024.

SEAC, Jharkhand has recommended the ToRs in its 113th meeting held on 30th, 31st May, 2024 & 01st, 02nd and 03rd June, 2024 for undertaking detailed EIA / EMP study and SEIAA, Jharkhand has granted the ToRs in its 113th meeting held on 07th & 08th June, 2024. The SEAC has recommended following conditions:

The TORs prescribed for undertaking detailed EIA study are as follows:

- A. Standard Terms of Reference
- 1. Executive Summary
- 2. Introduction
 - i. Details of the EIA Consultant including NABET accreditation.
 - ii. Information about the project proponent.
 - iii. Importance and benefits of the project.

3. Specific Conditions:

- i. Complete material balance to be provided for all the input & output.
- ii. Detailed water balance to be provided.
- Details of all the waste generation in the project along with handling and management of the same.
- iv. Primary study to be carried out for Socio Economy, Ecology & Bio-Diversity.
- v. Details of all the pollution control measures including ETP & STP, if any.
- vi. Details of fire control management plan.

o Ar



- vii. All details of the existing plant is to be provided in EIA / EMP.
- viii. An Affidavit with regard to original cost of the existing project is to be included in final EIA / EMP.
 - ix. A certificate from the project consultant / supplier regarding the proposed new DRI kiln certifying that the maximum production capacity possible is 90 TPD only.

4. Project Description

- i. Cost of project and time of completion.
- ii. Products with capacities for the proposed project.
- iii. If expansion project, details of existing products with capacities and whether adequate land is available for expansion, reference of earlier EC if any.
- iv. List of raw materials required and their source along with mode of transportation.
- v. Other chemicals and materials required with quantities and storage capacities
- vi. Details of Emission, effluents, hazardous waste generation and their management.
- vii. Requirement of water, power, with source of supply, status of approval, water balance diagram, man-power requirement (regular and contract)
- viii. Process description along with major equipments and machineries, process flow sheet (quantative) from raw material to products to be provided.
 - ix. Hazard identification and details of proposed safety systems.
 - x. Expansion/modernization proposals:
 - a. Copy of all the Environmental Clearance(s) including Amendments thereto obtained for the project from MOEF/SEIAA shall be attached as an Annexure. A certified copy of the latest Monitoring Report of the Regional Office of the Ministry of Environment, Forest and Climate Change as per OM no. F.no. IA3-22/10/2022-IA.III [E 177258], dated 08th June, 2022 on the status of compliance of conditions stipulated in all the existing environmental clearances including Amendments shall be provided. In addition, status of compliance of Consent to Operate for the ongoing / existing operation of the project from SPCB shall be attached with the EIA-EMP report.
 - b. In case the existing project has not obtained environmental clearance, reasons for not taking EC under the provisions of the EIA Notification 1994 and/or EIA Notification, 2006 shall be provided. Copies of Consent to Establish/No Objection Certificate and Consent to Operate (in case of units operating prior to EIA Notification 2006, CTE and CTO of FY 2005-2006) obtained from the SPCB shall be submitted. Further, compliance report to the conditions of consents from the SPCB shall be submitted.

5. Site Details

i. Location of the project site covering village, Taluka/Tehsil, District and State, Justification for selecting the site, whether other sites were considered.

Cafe

- ii. A toposheet of the study area of radius of 10km and site location on 1:50,000/1:25,000 scale on an A3/A2 sheet. (including all eco-sensitive areas and environmentally sensitive places).
- iii. Details w.r.t. option analysis for selection of site
- iv. Co-ordinates (lat-long) of all four corners of the site. .
- v. Google map-Earth downloaded of the project site.
- vi. Layout maps indicating existing unit as well as proposed unit indicating storage area, plant area, greenbelt area, utilities etc. If located within an Industrial area/Estate/Complex, layout of Industrial Area indicating location of unit within the Industrial area/Estate.
- vii. Photographs of the proposed and existing (if applicable) plant site. If existing, show photographs of plantation/greenbelt, in particular.
- viii. Landuse break-up of total land of the project site (identified and acquired), government/ private agricultural, forest, wasteland, water bodies, settlements, etc shall be included. (not required for industrial area)
- ix. A list of major industries with name and type within study area (10km radius) shall be incorporated. Land use details of the study area
- x. Geological features and Geo-hydrological status of the study area shall be included.
- xi. Details of Drainage of the project upto 5km radius of study area. If the site is within 1 km radius of any major river, peak and lean season river discharge as well as flood occurrence frequency based on peak rainfall data of the past 30 years. Details of Flood Level of the project site and maximum Flood Level of the river shall also be provided. (mega green field projects)
- xii. Status of acquisition of land. If acquisition is not complete, stage of the acquisition process and expected time of complete possession of the land.
- xiii. R&R details in respect of land in line with state Government policy.

6. Forest and Wildlife related issues (if applicable):

- i. Permission and approval for the use of forest land (forestry clearance), if any, and recommendations of the State Forest Department. (if applicable).
- ii. Landuse map based on High resolution satellite imagery (GPS) of the proposed site delineating the forestland (in case of projects involving forest land more than 40 ha).
- iii. Status of Application submitted for obtaining the stage I forestry clearance along with latest status shall be submitted.
- iv. The projects to be located within 10 km of the National Parks, Sanctuaries, Biosphere Reserves, Migratory Corridors of Wild Animals, the project proponent shall submit the map duly authenticated by Chief Wildlife Warden showing these features vis-à-vis the project location and the recommendations or comments of the Chief Wildlife Warden-thereon

after

4

SIA/JH/IND1/472779/2024 Page 12 of 17

- v. Wildlife Conservation Plan duly authenticated by the Chief Wildlife Warden of the State Government for conservation of Schedule I fauna, if any exists in the study area
- vi. Copy of application submitted for clearance under the Wildlife (Protection) Act, 1972, to the Standing Committee of the National Board for Wildlife.

7. Environmental Status:

- i. Determination of atmospheric inversion level at the project site and site-specific micro- meteorological data using temperature, relative humidity, hourly wind speed and direction and rainfall.
- ii. AAQ data (except monsoon) at 8 locations for PM10, PM2.5, SO2, NOX, CO and other parameters relevant to the project shall be collected. The monitoring stations shall be based CPCB guidelines and take into account the pre-dominant wind direction, population zone and sensitive receptors including reserved forests.
- iii. Raw data of all AAQ measurement for 12 weeks of all stations as per frequency given in the NAQQM Notification of Nov. 2009 along with min., max., average and 98% values for each of the AAQ parameters from data of all AAQ stations should be provided as an annexure to the EIA Report.
- iv. Surface water quality of nearby River (100m upstream and downstream of discharge point) and other surface drains at eight locations as per CPCB/MoEF & CC guidelines.
- v. Whether the site falls near to polluted stretch of river identified by the CPCB/MoEF & CC, if yes give details.
- vi. Ground water monitoring at minimum at 8 locations shall be included.
- vii. Noise levels monitoring at 8 locations within the study area.
- viii. Soil Characteristic as per CPCB guidelines.
 - ix. Traffic study of the area, type of vehicles, frequency of vehicles for transportation of materials, additional traffic due to proposed project, parking arrangement etc.
 - x. Detailed description of flora and fauna (terrestrial and aquatic) existing in the study area shall be given with special reference to rare, endemic and endangered species. If Schedule- I fauna are found within the study area, a Wildlife Conservation Plan shall be prepared and furnished.
- xi. Socio-economic status of the study area.

8. Impact and Environment Management Plan:

i. Assessment of ground level concentration of pollutants from the stack emission based on site-specific meteorological features. In case the project is located on a hilly terrain, the AQIP Modelling shall be done using inputs of the specific terrain characteristics for determining the potential impacts of the project on the AAQ. Cumulative impact of all sources of emissions (including transportation) on the AAQ of the area shall be assessed. Details of the model used and the input data used for modelling shall also be provided. The air quality contours shall be plotted on a location map showing the location of project site, habitation nearby, sensitive receptors, if any.

OAT

b by

Page 13 of 17

- ii. Water Quality modelling in case of discharge in water body
- iii. Impact of the transport of the raw materials and end products on the surrounding environment shall be assessed and provided. In this regard, options for transport of raw materials and finished products and wastes (large quantities) by rail or rail-cum road transport or conveyor- cum-rail transport shall be examined.
- iv. A note on treatment of wastewater from different plant operations, extent recycled and reused for different purposes shall be included. Complete scheme of effluent treatment. Characteristics of untreated and treated effluent to meet the prescribed standards of discharge under E(P) Rules.
- v. Details of stack emission and action plan for control of emissions to meet standards.
- vi. Measures for fugitive emission control.
- vii. Details of hazardous waste generation and their storage, utilization and management. Copies of MOU regarding utilization of solid and hazardous waste in cement plant shall also be included. EMP shall include the concept of waste-minimization, recycle / reuse / recover techniques, Energy conservation, and natural resource conservation.
- viii. Proper utilization of fly ash shall be ensured as per Fly Ash Notification, 2009. A detailed plan of action shall be provided.
- ix. Action plan for the green belt development plan in 33 % area i.e. land with not less than 2500 trees per ha. Giving details of species, width of plantation, planning schedule etc. shall be included. The green belt shall be around the project boundary and a scheme for greening of the roads used for the project shall also be incorporated.
- x. Action plan for rainwater harvesting measures at plant site shall be submitted to harvest rainwater from the roof tops and storm water drains to recharge the ground water and also to use for the various activities at the project site to conserve fresh water and reduce the water requirement from other sources.
- xi. Total capital cost and recurring cost/annum for environmental pollution control measures shall be included.
- xii. Action plan for post-project environmental monitoring shall be submitted.
- xiii. Onsite and Offsite Disaster (natural and Man-made) Preparedness and Emergency Management Plan including Risk Assessment and damage control. Disaster management plan should be linked with District Disaster Management Plan.

9. Occupational health:

- i. Plan and fund allocation to ensure the occupational health & safety of all contract and Plan and fund allocation to ensure the occupational health & safety of all contract and casual workers.
- ii. Details of exposure specific health status evaluation of worker. If the workers' health is being evaluated by pre designed format, chest x rays, Audiometry, Spirometry, Vision testing (Far & Near vision, colour vision and any other ocular defect) ECG, during pre placement and periodical examinations give the details of

20 Ch

1

- the same. Details regarding last month analyzed data of above mentioned parameters as per age, sex, duration of exposure and department wise.
- iii. Details of existing Occupational & Safety Hazards. What are the exposure levels of hazards and whether they are within Permissible Exposure level (PEL). If these are not within PEL, what measures the company has adopted to keep them within PEL so that health of the workers can be preserved,
- iv. Annual report of health status of workers with special reference to Occupational Health and Safety.

10. Corporate Environment Policy:

- i. Does the company have a well laid down Environment Policy approved by its Board of Directors? If so, it may be detailed in the EIA report.
- ii. Does the Environment Policy prescribe for standard operating process / procedures to bring into focus any infringement / deviation / violation of the environmental or forest norms / conditions? If so, it may be detailed in the EIA.
- iii. What is the hierarchical system or Administrative order of the company to deal with the environmental issues and for ensuring compliance with the environmental clearance conditions? Details of this system may be given.
- iv. Does the company have system of reporting of non compliances / violations of environmental norms to the Board of Directors of the company and / or shareholders or stakeholders at large? This reporting mechanism shall be detailed in the EIA report
- 11. Details regarding infrastructure facilities such as sanitation, fuel, restroom etc. to be provided to the labour force during construction as well as to the casual workers including truck drivers during operation phase.
- 12. Public Hearing points raised and commitment of the Project Proponent on the same along with time bound Action Plan with budgetary provisions to implement the same should be provided and also incorporated in the final EIA/EMP Report of the Project.

13. Enterprise Social Commitment (ESC)

- i. Adequate funds (at least 2.5 % of the project cost) shall be earmarked towards the Enterprise Social Commitment based on Public Hearing issues and item-wise details along with time bound action plan shall be included. Socio-economic development activities need to be elaborated upon.
- 14. Any litigation pending against the project and/or any direction/order passed by any Court of Law against the project, if so, details thereof shall also be included. Has the unit received any notice under the Section 5 of Environment (Protection) Act, 1986 or relevant Sections of Air and Water Acts? If so, details thereof and compliance/ATR to the notice(s) and present status of the case.
- **15.** A tabular chart with index for point wise compliance of above TOR.

ed!

1

SIA/JH/IND1/472779/2024 Page 15 of 17

A. SPECIFIC TERMS OF REFERENCE FOR EIA STUDIES FOR METALLURGICAL INDUSTRIES (FERROUS & NON FERROUS)

- 1. Complete process flow diagram describing each unit, its processes and operations, along with material and energy inputs & outputs (material and energy balance).
- 2. Details on blast furnace/ open hearth furnace/ basic oxygen furnace/ladle refining, casting and rolling plants etc.
- 3. Details on installation/activation of opacity meters with recording with proper calibration system
- 4. Details on toxic metals including mercury, arsenic and fluoride emissions
- 5. Details on stack height requirement for integrated steel
- 6. Details on ash disposal and management -Non-ferrous metal
- 7. Complete process flow diagram describing production of lead/zinc/copper/aluminium, etc.
- 8. Raw materials substitution or elimination
- 9. Details on smelting, thermal refining, melting, slag fuming, and Waelz kiln operation
- 10. Details on Holding and de-gassing of molten metal from primary and secondary aluminum, materials pre-treatment, and from melting and smelting of secondary aluminium
- 11. Details on solvent recycling
- 12. Details on precious metals recovery
- 13. Details on composition, generation and utilization of waste/fuel gases from coke oven plant and their utilization.
- 14. Details on toxic metal content in the waste material and its composition and end use (particularly of slag).
- 15. Trace metals Mercury, arsenic and fluoride emissions in the raw material.
- 16. Trace metals in waste material especially slag.
- 17. Plan for trace metal recovery
- 18. Trace metals in water.

B. Other

- 1. Changes, if any made in the basic scope and project parameters (as submitted in Form-I and the F.R for securing the TOR) should be brought to the attention of SEIAA, Jharkhand with reasons for such changes and permission should be sought, as the TOR may also have to be altered.
- 2. The Prescribed ToRs is valid as per O.M. F. No. IA3-22/10/2022-IA.III[E177258], dated 08.06.2022. of MoEF & CC, Govt. of India.

Sd/-

Member Secretary
State Level Environment Impact
Assessment Authority, Jharkhand.

Carth

Dated: 14/06/2024

Copy to:

- 1. Member Secretary, Jharkhand State Pollution Control Board, Ranchi for information and necessary action.
- 2. Regional Office, Ministry of Environment, Forest and Climate Change, Govt. of India, 2nd Floor, Jharkhand State Housing Board (HQ), Harmu Chowk, Ranchi, Jharkhand 834002.

3. Member Secretary, SEAC, Jharkhand, Ranchi for information and necessary action.

